



Muscular Pump, Growth & Performance

©2009 Huntington College of Health Sciences

Literature Education Series On Dietary Supplements

By Gene Bruno, MS, MHS

Smart Supplementation™ is a free series of educational literature created by Huntington College of Health Sciences (HCHS) as a public service. Although copyrighted, it may be freely photocopied and distributed, but may not be altered in any way. Smart Supplementation™ is not intended as medical advice. For diagnosis and treatment of any medical condition, consult your physician.

Have you ever said or thought, “My muscles are pumped? Okay, so what does it really mean to have pumped muscles? The answer to this question was given in an article in-press I recently had the opportunity to read by Vince Andrich, a brilliant fitness writer. In the article, Andrich¹ has described ‘the pump’ as a term used in bodybuilding circles to describe the sensation of tight congestion, or swelling, of your muscles with blood coursing through them during your weight training session. Andrich further explained that the magnitude of the pump is a function of multiple factors, and is related to a cellular swelling mechanism described as osmotic anabolic signaling² (OAS).

Reading the article caused me to consider what natural substances might influence OAS. This led me to thinking about what natural substances might positively impact muscle growth in general, reduce the breakdown of muscle tissue (i.e., have an anti-catabolic effect), and promote performance. (Sorry, that’s the way my mind works. One thought leads to another and I just can’t stop thinking.) In any case, I did a little research, and wrote this current article to address natural substances that do all of these things. Let’s begin with glycerol.

Glycerol

In the bodybuilding community, glycerol is often used to promote the appearance of muscle volume and vascularity (sort of a “shrink-wrapped” look): essentially a pumped muscle. These effects are based on glycerol’s osmotic properties, which involves the ability to hold onto water, providing a hydrating effect.³ According to Gastelu and Hatfield, glycerol

seems to act like a sponge, absorbing water into the bloodstream and holding it there.⁴ Some research has shown that glycerol might even positively impact performance. In one study, Olympic distance triathlon athletes achieved hyperhydration with glycerol, and were able to run cooler for a longer period of time in hot temperatures.⁵ Likewise, in another study glycerol was found to significantly increase water retention over water alone in athletes tested.⁶

Leucine

Leucine is one of the three branched-chain amino acids. Because of an increase in leucine breakdown that occurs in the muscle during exercise, studies have linked the effects of leucine supplementation on performance. In animal research, leucine supplementation was found to increase protein synthesis.⁷ In human clinical research, leucine was found to decrease the breakdown of muscle tissue.⁸

Leucine, isoleucine & valine

The branched-chain amino acids (BCAAs) are leucine, isoleucine and valine. The BCAAs have been shown to have various functions such as promoting protein synthesis in skeletal muscle, and as the primary amino acid fuel for muscle and other tissues.⁹ BCAAs have also been shown to significantly reduce the breakdown of skeletal muscle in normal volunteers.¹⁰

Several studies suggest that supplementation with BCAAs have in an ergogenic effect. In one study, exercising individuals had a 1.5% increase in lean body mass with BCAAs, while those individuals using a placebo has no change in body mass.¹¹ In addition, those using BCAAs were also able to lessen the drop in muscular power.

In another study of highly trained exercising subjects, those using BCAAs did not have a significant loss in body weight, while those in the placebo group had a 2.1% loss of body weight. In addition, peak power decreased in the placebo group, but not in the BCAAs group.¹² In a study of healthy, untrained

individuals using BCAAs, fat-free mass and grip strength had a significant increase (1.3%).¹³

Tyrosine

Stress can impair performance. Due to its role as a precursor to norepinephrine and epinephrine (two of the body's main stress-related hormones) tyrosine may ease the adverse effects of environmental, psychosocial, and physical stress.^{14 15 16 17 18 19 20}

20-Hydroxyecdysterone

20-Hydroxyecdysterone belongs to a class of natural substances called phytoecdysteroids (i.e., plant-based steroids). Phytoecdysteroids are active in protein biosynthesis (anabolism) by increasing the activity of polyribosomes. Polyribosomes are the cytoplasmic compartments within cells where actual protein synthesis takes place. The result is an increase in body mass.²¹

In animal research, 20-Hydroxyecdysone extracted from *Rhaponticum carthamoides* resulted in a 115% increase in developing body mass.²² In other animal research 20-Hydroxyecdysone caused statistically significant increases in skeletal muscle mass and muscle protein content.²³ Studies in Russia on human subjects found that under conditions of aerobic-anaerobic training for three weeks, 20-Hydroxyecdysterone was able to diminish body fat content, while elevating muscle mass.²⁴ A similar study found that a combination of 20-Hydroxyecdysterone with a protein supplement given to athletes resulted in up to a 13.71% reduction in fat content, together with up to a 7.10% increase in muscle tissue mass (compared with up to a 2.99% decrease in muscle in the placebo group).²⁵ Yet another study conducted on 117 highly qualified speed skaters also demonstrated that *Rhaponticum* (an herb containing 20-Hydroxyecdysterone) was able to increase anabolic protein metabolism, and body weight.²⁶

4-hydroxyisoleucine

Athletes need to drive glucose into muscle tissue for growth and recovery. This is one of the jobs of the hormone insulin, which may explain why some non-diabetic bodybuilders have been following the extremely dangerous practice of injecting insulin to achieve an anabolic effect (nothing in bodybuilding can kill you faster if used improperly). Luckily, there is a safer way to potentiate the secretion of insulin. A natural substance known as 4-hydroxyisoleucine, a form of the amino acid isoleucine extracted from fenugreek seeds, has insulinogenic or insulin potentiating effects, as demonstrated in animal research.^{27 28 29} Other animal research³⁰ has shown that 4-hydroxyisoleucine also significantly decreases triglyceride, cholesterol and free fatty acid levels. Additional animal research showed 4-hydroxyisoleucine body weight gain in mice fed a

high fat diet, and also lowered their triglycerides.³¹ In human athletes, 4-hydroxyisoleucine given with a glucose beverage was found to increase glucose and insulin concentrations after exercise, as well as resynthesize glycogen more effectively than glucose alone.³²

Caffeine

Caffeine can improve mental performance and alertness following prolonged sleep deprivation.³³ The FDA³⁴ recognizes that caffeine is a stimulant that “helps restore mental alertness or wakefulness during fatigue or drowsiness,” and identifies it for this purpose in its monograph on over-the-counter stimulants. In addition, Lorist and Tops³⁵ have indicated that caffeine is regarded as a mild stimulant with benefit for fatigue.

Caffeine also seems to increase physical endurance³⁶ as well as increase the time to exhaustion during physical exertion.³⁷ Likewise, Van Gammeren³⁸ has reviewed numerous studies that demonstrate caffeine's benefits for endurance and performance.

Furthermore, Miller, Lombardo and Fowler³⁹ demonstrated that caffeine helps increase energy levels at certain times during the day; and other research on caffeine has shown that it prevents a decline in alertness and cognitive capacity when consumed throughout the day.^{40 41}

Chromium polynicotinate

Chromium helps insulin metabolize fat, turn protein into muscle and convert sugar into energy. Chromium-activated insulin increases the amount of blood sugar available for energy production nearly twenty-fold. Chromium polynicotinate is niacin-bound chromium that dramatically increases the effectiveness of chromium.⁴²

Due to its interaction with insulin, chromium polynicotinate has been found to improve fasting glucose levels in human subjects.⁴³ In a study conducted on athletes, total power output was significantly higher for the group consuming a carbohydrate-electrolyte beverage with chromium polynicotinate, compared to those just consuming the carbohydrate-electrolyte beverage.⁴⁴ Research has even shown that chromium polynicotinate influences genes promoting muscle development and lean body mass, as well as improving lipid profiles.⁴⁵

Rhodiola rosea

For centuries, *Rhodiola rosea* has been used in Russia, Scandinavia, and other countries to increase physical endurance, work productivity, to treat fatigue, and for a variety of other purposes.⁴⁶ Modern scientific studies in cell cultures, animals, and humans have revealed anti-fatigue, anti-stress, anti-hypoxia (protection against damaging effects of

oxygen deprivation), and antioxidant, effects.^{47 48 49 50}

^{51 52} Of particular note are Rhodiola's anti-fatigue and performance enhancing properties. A number of studies have shown that Rhodiola increased physical work capacity and dramatically shortened the recovery time between bouts of high intensity exercise.⁵³

Alpha lipoic acid

Research has demonstrated that natural antioxidant Alpha Lipoic Acid (ALA) can support healthy blood glucose levels; with individuals given ALA having significantly greater insulin-sensitivity, and improvement in insulin-stimulated glucose disposal.⁵⁴ Also, research has shown that ALA provides significant antioxidant defense against oxidative stress.⁵⁵

References

¹ Andrich V. Osmotic anabolic signaling. *Built Magazine* 2007 (in press).

² Russell Hyde, Peter M. Taylor and Harinder S. Hundal, Amino acid transporters: roles in amino acid sensing and signaling in animal cells, *Biochem. J.* (2003) 373 (Printed in Great Britain)

³ Wagner DR. Hyperhydrating with glycerol: implications for athletic performance. *J Am Diet Assoc* 1999; 99(2):207-12.

⁴ Gastelu D, Hatfield, F. *Dynamic Nutrition for Maximum Performance*. Garden City Park, NY: Avery; 1997:105.

⁵ Coutts A, Reaburn P, Mummery K, Holmes M. The effect of glycerol hyperhydration on olympic distance triathlon performance in high ambient temperatures. *Int J Sport Nutr Exer Metabol* 2002; 12(1):105-119.

⁶ Magal M, Webster MJ, Sistrunk LE, Whitehead MT, Evans RK, Boyd JC. Comparison of glycerol and water hydration regimens on tennis-related performance. *Med Sci Sports Exerc* 2003; 35(1):150-156.

⁷ Isfan NW, et al. *Am J Physiol* 1988; 254: R688-98.

⁸ Essen P, et al. *Clin Physiol* 1994; 14(5):513-25.

⁹ Incledon T, Antonio J. "The Anticatabolics." IN *Sports Supplements*; Antonio J, Stout J (ed). Philadelphia: Lippincott Williams & Wilkins; 2001:112-136

¹⁰ Louard Rj, et al. *Metabolism* 1995; 44:424-429.

¹¹ Schena F, et al. *Eur J Appl Physiol* 1992; 65:394-398.

¹² Bigard AX, et al. *Int J Sports Nutr* 1996; 6:295-306.

¹³ Candeloro N, et al. *Minerva Endocrinol* 1995; 20:217-223.

¹⁴ Banderet LE, et al. *Brain Res Bull* 1989;22:759-62.

¹⁵ Salter CA. *Mil Med* 1989;154:144-6.

¹⁶ Neri DF, et al. *Aviat Space Environ Med* 1995;66:313-9.

¹⁷ Deijen JB, et al. *Brain Res Bull* 1999;48:203-9.

¹⁸ Shurtleff D, et al. *Pharmacol Biochem Behav* 1994;47:935-41.

¹⁹ Deijen JB, Orlebeke JF. *Brain Res Bull* 1994;33:319-23.

²⁰ Dollins AB, et al. *Physiol Behav* 1995;57:223-30.

²¹ Syrov VN, *Nauchnye doklady vysshei shkoly* (1984) (11):16-20.

²² Sláma K, et al, *Experiencia* (1996) 52:702-6.

²³ Chermikh NS, et al, *Pharmacology and toxicology* (1988) No. 6, 57, 5 pages.

²⁴ Gadzhieva RM, et al, Eksperimental'naia i klinicheskaia farmakologija (1995) 58(5):46-8.

²⁵ Simakin SY, et al, *Scientific Sports Bulletin* (1988) No. 2, 5 pages.

²⁶ Smetanin VY, "The influence of preparations of plant origin on physical work capacity" Dissertation abstract (1986) The Russian Ministry of Public Health, Smolensk State Medical Institute, 4 pages.

²⁷ Sauvaire Y, Petit P, Broca C, Manteghetti M, Baissac Y, Fernandez-Alvarez J, Gross R, Roye M, Leconte A, Gomis R, Ribes G. 4-Hydroxyisoleucine: a novel amino acid potentiator of insulin secretion. *Diabetes* 1998; 47(2):206-10.

²⁸ Broca C, Gross R, Petit P, Sauvaire Y, Manteghetti M, Tournier M, Masiello P, Gomis R, Ribes G. 4-Hydroxyisoleucine: experimental evidence of its insulinotropic and antidiabetic properties. *American journal of physiology* 1999; 277 Pt 1):E617-23.

²⁹ Broca C, Breil V, Cruciani-Guglielmacci C, Manteghetti M, Rouault C, Derouet M, Rizkalla S, Pau B, Petit P, Ribes G, Ktorza A, Gross R, Reach G, Taouis M. Insulinotropic agent ID-1101 (4-hydroxyisoleucine) activates insulin signaling in rat. *American journal of physiology. Endocrinology and metabolism* 2004; 287(3):E463-71.

³⁰ Narender T, Puri A, Shweta, Khaliq T, Saxena R, Bhatia G, Chandra R. 4-hydroxyisoleucine an unusual amino acid as antidyslipidemic and antihyperglycemic agent. *Bioorganic & medicinal chemistry letters* 2006; 16(2):293-6.

³¹ Handa T, Yamaguchi K, Sono Y, Yazawa K. Effects of fenugreek seed extract in obese mice fed a high-fat diet. *Bioscience, biotechnology, and biochemistry* 2005; 69(6):1186-8.

³² Ruby BC, Gaskill SE, Slivka D, Harger SG. The addition of fenugreek extract (*Trigonella foenum-graecum*) to glucose feeding increases muscle glycogen resynthesis after exercise. *Amino acids* 2005; 28(1):71-6.

³³ Kamimori GH, Penetar DM, Headley DB, et al. Effect of three caffeine doses on plasma catecholamines and alertness during prolonged wakefulness. *Eur J Clin Pharmacol* 2000;56:537-44.

³⁴ Food and Drug Administration. Code of Federal Regulations: Part 340—Stimulant Drug Products for Over-The-Counter Human Use, Subpart A and B; 2000: 235.

³⁵ Lorist MM, Tops M. Caffeine, fatigue, and cognition. *Brain and Cognition* 2003; 53:82-94.

³⁶ Institute of Medicine. *Caffeine for the Sustainment of Mental Task Performance: Formulations for Military Operations*. Washington, DC: National Academy Press, 2001. Available at: <http://books.nap.edu/books/0309082587/html/index.html>.

³⁷ Greer F, Friars D, Graham TE. Comparison of caffeine and theophylline ingestion: exercise metabolism and endurance. *J Appl Physiol* 2000;89:1837-44.

³⁸ Van Gammeren D. Chapter 13: Endurance Performance. In Antonio J, Stout JR, *Sports Supplements*. Philadelphia, PA: Lippincott, Williams & Wilkins; 2001:279-282.

³⁹ Miller LS, Lombardo TW, Fowler SC. Caffeine and Time of Day Effects on a Force Discrimination Task in Humans. *Physiology & Behavior* 1995; 57(6):1117-1125.

⁴⁰ Durlach PJ. The effects of a low dose of caffeine on cognitive performance. *Psychopharmacology (Berl)* 1998;140:116-9.

⁴¹ Hindmarch I, Quinlan PT, Moore KL, Parkin C. The effects of black tea and other beverages on aspects of cognition and psychomotor performance. *Psychopharmacol* 1998;139:230-8

⁴² Interhealth. *ChroMate: Good science and good sense*. Retrieved March 7, 2007 from <http://www.interhealthusa.com/products/chromemate.aspx>.

⁴³ Bagchi M, Jensen N, Preuss HG, Bagchi D. Efficacy and Toxicological Assessment of a Novel, Niacin-Bound Chromium in Ameliorating Metabolic Disorders, *10th International Congress of Toxicology-Finland* 197:abs. 354, July 2004.

⁴⁴ Frank LL, Baer JT, The Effect of a Chromium-Containing Beverage on Sprint Cycling Performance After a Submaximal Exercise Bout, *American College of Sports Medicine, 49th Annual Meeting in Conjunction with the Sixth IOC World Congress on Sport Sciences*, Abstract 14, Page S3, May 28-June 1, 2002, Americas Center, St. Louis, Missouri.

⁴⁵ Rink D, Roy S, Khanna S, Rink T, Bagchi D, Sen, CK. Transcriptome of the subcutaneous adipose tissue in response to oral supplementation of type 2 Lep^{ob} obese diabetic mice with niacin-bound chromium. *Physiol Genomics* 2006; 27: 370-379.

⁴⁶ Brown RP, Gerbarg PL, Ramazanov Z. *Rhodiola rosea: A Phytomedicinal Overview*. *HerbalGram* 2002; 56:40-52.

⁴⁷ Saratikov AS, Krasnov EA. *Rhodiola rosea* is a valuable medicinal plant (Golden Root). Tomsk, Russia: Tomsk State University; 1987.

⁴⁸ Darbinyan V, Kteyan A, Panossian A, Gabrielian E, Wikman G, Wagner H. *Rhodiola rosea* in stress induced fatigue—a double blind cross-over study of a standardized extract SHR-5 with a

repeated low-dose regimen on the mental performance of healthy physicians during night duty. *Phytomedicine* 2000; 7(5):365-71.

⁴⁹ Saratikov AS. Golden Root (*Rhodiola rosea*). Russia: Tomsk; 1974.

⁵⁰ Spasov AA, Wikman GK, Mandrikov VB, Mironova IA, Neumoin VV. A double-blind, placebo-controlled pilot study of the stimulating and adaptogenic effect of *Rhodiola rosea* SHR-5 extract on the fatigue of students caused by stress during an examination period with a repeated low-dose regimen. *Phytomedicine* 2000; 7(2):85-9.

⁵¹ Spasov AA, Mandrikov VB, Mironova IA. The effect of the preparation rodiosin on the psychophysiological and physical adaptation of students to an academic load. *Eksp Klin Farmakol* 2000; 63(1):76-8.

⁵² Furmanowa M, Oledzka H, Michalska M, Sokolnicka I, Radomska D. Chapter XXIII *Rhodiola rosea* L. (Roseroot): in vitro regeneration and the biological activity of roots. *Biotechnology in agriculture and forestry, Vol. 33. Medicinal and aromatic plants VIII* (ed. by YPS Bajaj). Berlin Heidelberg: Springer-Verlag; 1995 p. 412-26.

⁵³ Saratikov AS, Krasnov EA. Chapter III: Stimulative properties of *Rhodiola rosea*. in: Saratikov AS, Krasnov EA. *Rhodiola rosea* is a valuable medicinal plant (Golden Root). Tomsk, Russia: Tomsk State University; 1987 p. 69-90.

⁵⁴ Jacob S, et al, *Free Radic Biol Med* (1999) 27(3-4):309-14.

⁵⁵ Roy S, et al, *Biochem Pharmacol* (1997) 53(3):393-9.

huntington college of HEALTH SCIENCES

For more than two decades, Huntington College of Health Sciences (HCHS) has offered more than a conventional undergraduate or graduate education. Our accredited*, distance learning degrees and diploma programs also include the breadth of responsible complementary and alternative medicine viewpoints, providing our students with a well-rounded and comprehensive approach to nutrition and the health sciences:

- Master of Science in Nutrition
- Bachelor of Health Science in Nutrition
- Associate of Science in Applied Nutrition
- Diploma in Comprehensive Nutrition
- Diploma in Dietary Supplement Science
- Diploma in Sports Nutrition
- Diploma in Women's Nutrition
- Diploma in Natural Sciences
- Diploma in Small Business Management

1204D Kenesaw
Knoxville, TN 37919
865-524-8079 • 800-290-4226
E-Mail: studentservices@hchs.edu
www.hchs.edu

*Accredited member Distance Education & Training Council.